



Document	QL801-019
Revision	C
Prepared by	Emir Guevara
Approved by	Jenifer Ohta
Issue date	07/25/2016

[SDS]	Cholesterol
-------	--------------------

1268 N. Lakeview Ave. Anaheim, CA 92807 Phone: (714) 463-1111 Fax: (714) 463-1169 www.tecodiag.com

Section 1 – Identification

Product Name Catalog Number Product Type	Cholesterol C509-150, C509-400, C509-1L Clinical Chemistry Reagent	Emergency Telephone No. CHEMTREC (800) 424-9300 International CHEMTREC (703) 527-3887
Company Name Street Address City, State, Zip Code, Country	Teco Diagnostics 1268 N. Lakeview Avenue Anaheim, CA 92807 USA	Company Telephone No. (800) 222-9880 or (714) 463-1111 Monday - Friday 8:00-5:00 PST Fax No. (714) 463-1169
Recommended Use: For <i>in vitro</i> diagnostic use only. For professional use only.		
Restrictions on Use: Not for <i>in vivo</i> use.		

Section 2 – Hazard(s) Identification

Component	Classification
Cholesterol Reagent: (Hazardous components: 4-Aminoantipyrine, Peroxidase, P-Hydroxybenzoic Acid, Sodium Cholate, Sodium Azide)	Product Description: Mixture This material is classified as hazardous according to the OSHA Hazard Communication Standard (29 CFR 1910.1200) and UN GHS. Acute toxicity, oral (Category 4) H302 Skin irritation (Category 2) H315 Skin sensitization (Category 1) H317 Eye irritation (Category 2) H319 Respiratory sensitization (Category 1) H334 Specific target organ toxicity - single exposure (Category 3), Respiratory system H335 Acute aquatic toxicity (Category 3) H402 Chronic aquatic toxicity (Category 3) H412
Cholesterol Standard: (Hazardous component: 2-Methoxyethanol)	Product Description: Mixture This material is classified as hazardous according to the OSHA Hazard Communication Standard (29 CFR 1910.1200) and UN GHS. Flammable liquids (Category 3) H226 Acute toxicity, Oral (Category 4) H302 Acute toxicity, Inhalation (Category 4) H332 Acute toxicity, Dermal (Category 4) H312 Reproductive toxicity (Category 1B) H360 Specific target organ toxicity - single exposure (Category 1) H370 Specific target organ toxicity - repeated exposure (Category 2) H373


[SDS]

Cholesterol


1268 N. Lakeview Ave. Anaheim, CA 92807 Phone: (714) 463-1111 Fax: (714) 463-1169 www.tecodiag.com

Section 2- Hazard(s) Identification (Continued)

Hazardous Components

Component	GHS Label elements, including precautionary statements	
4-Aminoantipyrine (Component of Cholesterol reagent)	Pictogram Hazard Symbol	
	Signal Word	Warning
	Hazard Statements	H302 Harmful if swallowed H315 Causes skin irritation H319 Causes serious eye irritation. H335 May cause respiratory irritation.
	Precautionary Statements	P261 Avoid breathing dust/fume/gas/mist/vapors/spray P264 Wash skin thoroughly after handling P270 Do not eat, drink or smoke when using this product P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER or doctor if you feel unwell. P330 Rinse mouth P332 + P313 If skin irritation occurs: Get medical advice/attention. P337 + P313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container to an approved waste disposal plant.


Hazards not Otherwise classified (HNOC): None

Component	GHS Label elements, including precautionary statements	
Peroxidase (Component of Cholesterol reagent)	Pictogram Hazard Symbol	
	Signal Word	Danger
	Hazard Statements	H317 May cause allergic skin reaction. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	Precautionary Statements	P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P285 In case of inadequate ventilation, wear respiratory protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P341 IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. P333 + P313 If skin irritation or rash occurs: Get medical advice/attention. P342 + P311 If experiencing respiratory symptoms call a POISON CENTER or doctor/physician. P363 Wash contaminated clothing before reuse. P501 Dispose of contents/ container to an approved waste disposal plant.


Hazards not Otherwise classified (HNOC): None

Section 2- Hazard(s) Identification (Continued)

Hazardous Components

Component	GHS Label elements, including precautionary statements	
P-Hydroxybenzoic Acid (Component of Cholesterol reagent)	Pictogram Hazard Symbol	
	Signal Word	Warning
	Hazard Statements	H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects
	Precautionary Statements	P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER or doctor/ physician if you feel unwell. P321 Specific treatment (see supplemental first aid instructions on this label). P332 + P313 If skin irritation occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/ container to an approved waste disposal plant.

Hazards not Otherwise classified (HNOC): None


Component	GHS Label elements, including precautionary statements	
Sodium Chololate (Cholic Acid, Sodium Salt) (Component of Cholesterol reagent)	Pictogram Hazard Symbol	
	Signal Word	Warning
	Hazard Statements	H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.
	Precautionary Statements	P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P312 Call a POISON CENTER or doctor/ physician if you feel unwell. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/ container to an approved waste disposal plant.

Hazards not Otherwise classified (HNOC):

Section 2 – Hazard(s) Identification (continued)

Hazardous Components

Component	GHS Label elements, including precautionary statements	
Sodium Azide (≤0.1%) (Component of Cholesterol reagent)	Pictogram Hazard Symbol	None
	Signal Word	None
	Hazard Statements	H402 Harmful to aquatic life. H412 Harmful to aquatic life with long lasting effects.
	Precautionary Statements	P273 Avoid release to the environment. P501 Dispose of contents/container to an approved waste disposal plant
Hazards not Otherwise classified (HNOC): Sodium azide may react with lead and copper plumbing to form highly explosive metal azides.		

Component	GHS Label elements, including precautionary statements	
2-Methoxyethanol (Component of Cholesterol standard)	Pictogram Hazard Symbol	
	Signal Word	Danger
	Hazard Statements	H226 Flammable liquid and vapor. H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled H360 May damage fertility or the unborn child. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure.
	Precautionary Statements	P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P307 + P311 IF exposed: Call a POISON CENTER or doctor/ physician. P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.
Hazards not Otherwise classified (HNOC): None		

[SDS]

Cholesterol

1268 N. Lakeview Ave. Anaheim, CA 92807 Phone: (714) 463-1111 Fax: (714) 463-1169 www.tecodiag.com

Section 3 – Composition/information on ingredients

Component	Type	Chemical Concentration or %	CAS#
Cholesterol Reagent	Mixture	0.6 mM, 4-Aminoantipyrine	83-07-8
		8.0 mM, Sodium Cholate	361-09-1
		150 U/L, Cholesterol Esterase	9026-00-0
		1500 U/L, Peroxidase	9003-99-0
		200 U/L, Cholesterol Oxidase	9028-76-6
Cholesterol Standard	Mixture	20.0mM, P-Hydroxybenzoic Acid	99-96-7
		200 mg/dl, Cholesterol	110-73-6
		98.2%, 2-Methoxyethanol	109-86-4

Section 4 – First-aid measures

General Advice	Consult a physician and show this safety data sheet. Take off immediately all contaminated clothing. Move out of dangerous area.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician.
Skin Contact	Immediately take off all contaminated clothing. Wash off skin with plenty of water for at least 15 minutes. Consult a physician.
Inhalation	Move person to fresh air. If not breathing, give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other respiratory medical device. Do not use mouth-to-mouth method. Consult a physician.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Call a physician or Poison Center immediately.

Section 5- Fire-fighting measures

Extinguishing media	Suitable: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Unsuitable: No information available.
Specific hazards	Do not allow run-off from fire fighting to enter drains or water courses. Hazardous combustion products: carbon oxides, nitrogen oxides, metallic oxides, peroxides, methanol
Special protective equipment and precautions for firefighters	Wear self-contained breathing apparatus for firefighting.

Section 6 – Accidental release measures

Procedure to be Followed in Case of Leak or Spill	Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. Avoid contact with skin and eyes. If cholesterol standard leaked or spilled, follow the above procedures and also remove all sources of ignition. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Environmental Precautions	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
Methods for Cleaning Up and Disposal	Prevent further leak or spill if safe to do so. Collect with vacuum cleaner electronically protected to prevent explosion or electrocution, or sweep up, or absorb with inert material and place into a suitable disposal container. Consult local regulations for disposal. Avoid dust formation. Avoid inhaling. Wash and ventilate spill site after material pickup is complete.

Section 7 – Handling and storage

Handling	Avoid contact with skin, eyes, and personal clothing. Wash hands thoroughly after handling. Avoid breathing fumes. Use only with adequate ventilation. Wear suitable protective clothing, gloves, and eye/face protection. Keep away from sources of ignition. Minimize dust generation and accumulation. Keep container tightly closed. Open and handle container with care. Do not eat, drink, or smoke while handling.
Storage	Store at 2-8°C according to the label instructions in the original containers. Keep containers tightly closed.

Section 8 – Exposure controls / personal protection
Components with workplace control parameters:

Chemical Name	Value	Control Parameter	Basis
P-Hydroxybenzoic Acid CAS# 99-96-7	TWA	5.0 mg/m ³	USA. Workplace Environmental Exposure Levels (WEEL)
Sodium Azide CAS# 26628-22-8	C	0.1 ppm	USA. NIOSH Recommended Exposure Limits
	C	0.3 mg/m ³	USA. NIOSH Recommended Exposure Limits
	C	0.1 ppm	USA. OSHA - TABLE Z-1 Limits for Air Contaminants
	C	0.3 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants
	C	0.11 ppm	USA. ACGIH Threshold Limit Values (TLV)
	C	0.29 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
2-Methoxyethanol CAS# 109-86-4	TWA	0.1 ppm	USA. NIOSH Recommended Exposure Limits
	TWA	0.3 mg/m ³	USA. NIOSH Recommended Exposure Limits
	TWA	25 ppm	USA. OSHA - TABLE Z-1 Limits for Air Contaminants
	TWA	80 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants
	TWA	0.1 ppm	USA. ACGIH Threshold Limit Values (TLV)
	PEL	5 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
PEL	16 mg/m ³	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	

Engineering Controls

No special ventilation requirements. Good general ventilation is sufficient. Ensure that eyewash stations and safety showers are close to the work area. Handle in accordance with good industrial hygiene and safety practices.

Cholesterol Standard: If working in a confined area, ensure adequate ventilation or use under a chemical fume hood.

Personal Protective Equipment

General Hygiene Measures	Handle in accordance with good industrial hygiene and safety practices. Avoid contact with skin, eyes, and clothing. Wash hands before breaks and immediately after handling the product. Facilities storing or utilizing this material should be equipped with eyewash stations and showers. Use adequate ventilation to keep airborne concentrations low.
Eye Protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin Protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
Body Protection	Wear flame retardant antistatic clothing that is impervious to chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Other Protective Equipment	Ensure the eyewash station and/or safety shower is located near the work area

[SDS]

Cholesterol

1268 N. Lakeview Ave. Anaheim, CA 92807 Phone: (714) 463-1111 Fax: (714) 463-1169 www.tecodiag.com

Section 9 - Physical and chemical properties

	Cholesterol Reagent	Cholesterol Standard
Appearance	Powder	Liquid
Odor	No information available	No information available
Odor threshold	No information available	No information available
pH	No information available	No information available
Melting point/ freezing point	No information available	2-Methoxyethanol: Melting point -85°C/ -121°F
Initial boiling point and boiling range	No information available	2-Methoxyethanol: Boiling point 124°C/ 255.2°F at 760 mm Hg
Flash point	No information available	2-Methoxyethanol: 38°C /100.4°F
Evaporative rate	No information available	2-Methoxyethanol: 0.5
Flammability (solid, gas)	No information available	No information available
Upper/lower flammability or explosion limits	No information available	2-Methoxyethanol: Upper: 20 vol % Lower: 1.8 vol %
Vapor pressure	No information available	2-Methoxyethanol: 9.5 mm Hg at 25°C
Vapor density	No information available	2-Methoxyethanol: 2.6 (Air = 1.0)
Relative density	No information available	No information available
Solubility	Soluble in water	Soluble in water
Partition coefficient: n-octanol/water	No information available	No information available
Auto-ignition temperature	No information available	2-Methoxyethanol: 288°C/ 550.4°F
Decomposition temperature	No information available	No information available
Viscosity	No information available	No information available

Section 10 – Stability and reactivity

Reactivity	No dangerous reaction known under conditions of normal use.
Chemical Stability	Stable under recommended storage conditions as indicated in section 7.
Possibility of hazardous reactions	None under normal processing
Conditions to Avoid	Avoid high temperature. Keep away from open flames, heat, and sources of ignition.
Incompatible materials	Strong acids, strong oxidizing agents, acid anhydrides, acid chlorides, bases, copper
Hazardous decomposition products	Carbon oxides, nitrogen oxides, metallic oxides, peroxides, methanol

Section 11 – Toxicological information

Route of entry/Exposure	Skin contact, eye contact, inhalation, ingestion
Effects of Acute Exposure	
Skin contact	May cause irritation
Eye contact	May cause irritation
Ingestion	May cause allergy or asthma symptoms or breathing difficulties if inhaled
Inhalation	May cause irritation to mucous membranes and upper respiratory tract
Chronic Exposure	No information available

Toxicity:

Component	Chemical	Acute Toxicity	Chronic Toxicity	Other Information
Cholesterol Reagent	4-Aminoantipyrine	LD50 Oral = 1700 mg/kg (Rat)	No data available	RTECS: CD2480000
	P-Hydroxybenzoic Acid	LD50 Oral = 10,000 mg/kg (Rat)	No data available	RTECS: DH1925000
Cholesterol Standard	2-Methoxyethanol	LD50 Oral = 2370 mg/kg (Rat) LD50 Dermal = 1280 mg/kg (Rabbit) LC50 Inhalation = 1478 ppm 7h (Rat)	No data available	RTECS: KL5775000

Carcinogenicity:

IARC	No component present at levels greater than or equal to 0.1% is identified a probable, possible or confirmed carcinogen by IARC.
ACGIH	No component present at levels greater than or equal to 0.1% is identified a carcinogen or potential carcinogen by ACGIH.
NTP	No component present at levels greater than or equal to 0.1% is identified a known or anticipated carcinogen by NTP.
OSHA	No component present at levels greater than or equal to 0.1% is identified a carcinogen or potential carcinogen by OSHA.

To the best of our knowledge, the chemical, physical and toxicological properties have not been thoroughly investigated.

Document	QL801-019
Revision	C
Prepared by	Emir Guevara
Approved by	Jenifer Ohta
Issue date	07/25/2016

[SDS]	Cholesterol
-------	--------------------

1268 N. Lakeview Ave. Anaheim, CA 92807 Phone: (714) 463-1111 Fax: (714) 463-1169 www.tecodiag.com

Section 12- Ecological information

Ecotoxicity	P-Hydroxybenzoic Acid	LC50 - Oncorhynchus mykiss (Rainbow trout) - > 99.4 mg/l - 96 h EC50 - Daphnia magna (Water flea) - 173 mg/l - 48 h other aquatic invertebrates
	2-Methoxyethanol	LC50 - Leuciscus idus (Ide) >500 mg/L, 96h static LC50 - Oncorhynchus mykiss (Rainbow trout) 16000 mg/L, 96h static LC50 - Lepomis macrochirus (Bluegill) 9650 mg/L, 96h static EC50 - Daphnia magna (Water flea) >10000 mg/L, 24h
Persistence and degradability		Biodegradability
Bio-accumulative potential		No information available
Mobility in soil		No information available
Water Hazards		No information available
Other adverse effects		No information available

Section 13- Disposal considerations
Waste residues and methods of disposal

This product has to be disposed in accordance with applicable regional, national and local laws and regulations. Surplus and non-recyclable components should be taken to a licensed waste disposal contractor for disposal.

Contaminated Packaging

Waste packaging should be recycled; however, since empty containers may retain some product residue, they should be taken to an approved waste handling site or given to a license waste disposal contractor for recycling or disposal, if recycling is not possible.

Section 14 - Transport information

Cholesterol Reagent:	DOT (US)	UN Number: None. Not regulated. UN Proper Shipping Name: None. Not regulated Transport Hazard Class: Not classified as hazardous. Not regulated. Packing Group: None Environmental Hazards: No information available.
	IMDG	Not regulated. Non-hazardous for maritime transport.
	IATA	Not regulated. Non-hazardous for air transport.
	Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)	Not applicable
	Special Precautions	None

Cholesterol Standard:	DOT (US)	UN Number: UN1188 UN Proper Shipping Name: Ethylene glycol monomethyl ether Transport Hazard Class: Class 3 Packing Group: III Reportable Quantity: No
	IMDG	UN Number: UN1188 UN Proper Shipping Name: Ethylene glycol monomethyl ether Transport Hazard Class: Class 3 Packing Group: III EMS-No.: F-E, S-D Environmental Hazards: Marine pollutant: No
	IATA	UN Number: UN1188 UN Proper Shipping Name: Ethylene glycol monomethyl ether Transport Hazard Class: Class 3 Packing Group: III
	Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)	Not applicable
	Special Precautions	None



Document	QL801-019
Revision	C
Prepared by	Emir Guevara
Approved by	Jenifer Ohta
Issue date	07/25/2016

[SDS] **Cholesterol**

1268 N. Lakeview Ave. Anaheim, CA 92807 Phone: (714) 463-1111 Fax: (714) 463-1169 www.tecodiag.com

Section 15 – Regulatory information

HCS Classification	Not determined	
SARA 302 Components	Not determined	
SARA 311/312 Hazards	4-Aminoantipyrine Cholesterol Esterase Peroxidase P-Hydroxybenzoic Acid 2-Methoxyethanol	CAS# 83-07-8 CAS# 9026-00-0 CAS# 9003-99-0 CAS# 99-96-7 CAS# 109-86-4
SARA 304 Components	Not determined	
Clean Water Act 307	This product does not contain any toxic pollutants listed under the U.S Clean Water Act section 307.	
Clean Water Act 311	This product does not contain any toxic pollutants listed under the U.S Clean Water Act section 311.	
Clean Air Act 112	This product does not contain any chemicals listed under the U.S Clean Air Act section 112(r) for Accidental Release Prevention.	
U.S. State- Illinois Right to Know	2-Methoxyethanol	CAS# 109-86-4
U.S. State- Massachusetts Right to Know	2-Methoxyethanol Sodium azide	CAS# 109-86-4 CAS# 26628-22-8
U.S. State- New Jersey Right to Know	Cholesterol Esterase Peroxidase P-Hydroxybenzoic Acid 2-Methoxyethanol	CAS# 9026-00-0 CAS# 9003-99-0 CAS# 99-96-7 CAS# 109-86-4
U.S. State- Pennsylvania Right to Know	Cholesterol Esterase Peroxidase P-Hydroxybenzoic Acid 2-Methoxyethanol Sodium azide	CAS# 9026-00-0 CAS# 9003-99-0 CAS# 99-96-7 CAS# 109-86-4 CAS# 26628-22-8
U.S. State- Rhode Island Right to Know	2-Methoxyethanol	CAS# 109-86-4
U.S. State- California Prop. 65	Warning: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. (2-Methoxyethanol CAS# 109-86-4)	
Other International Regulations: Mexico	2-Methoxyethanol: Moderate risk	
Other International Regulations: Canada	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.	

Section 16 – Other information

This product is labeled in accordance with CFR21 (Food and Drugs), Section 809.10.	
The information contained herein has been compiled from data presented in various technical sources believed to be accurate. We make no warranties, express or implied, and assume no liability in connection with the use of this information. It is the user's responsibility to determine the suitability of this information and to assure the adoption of necessary safety precautions.	
Date of SDS Preparation: 07/26/2016	

N/A = Not Applicable or Not Available