

 <b>Teco Diagnostics</b> Clinical Reagent Specialists	Form	QL801-141
	Revision	A
	Prepared by	Brian Anderson
	Approved by	Owen Bry
	Issue date	1/14/2011
<b>[MSDS] UrineCheck 6</b>		
1268 N. Lakeview Ave. Anaheim, CA 92807 Phone: (714) 463-1111 Fax: (714) 463-1169 www.tecodiag.com		

### Section I - Name and Product

<i>Address (Street, State, and Zip Code)</i>			
1268 N. Lakeview Ave. Anaheim, California 92807 USA			
<i>Product Name</i>	<i>Part No.</i>	<i>Part No.</i>	<i>Contact</i>
UrineCheck 6	D700-1	D700-50	Quality Assurance
	D700-10	D700-100	
	D700-25		
<i>Chemical Family or Product Type</i>	<i>Date of Preparation</i>	<i>Emergency Telephone No.</i>	
Urine Reagent Strips	Revised 05-16-2001	Weekdays 8-4:30 PST: 800-222-9880 or (714) 693-7788 Fax#: (714) 693-3838	

### Section II - Composition

CHEMICAL NAME	%	CAS#
Buffered Salts, Enzymes, pH Indicators, On Plastic Strips	Mixture	
Other components either non-hazardous or at concentrations below that requiring hazardous listing.		

### Section III - Physical Data

<i>Boiling Point</i> N/A	<i>Melting Point</i> N/A	<i>Specific Gravity</i> N/A
<i>Vapor Pressure</i> <0.1 (Air = 1)	<i>Percent Volatile by Vol.</i> <10	<i>Vapor Density</i> N/A
<i>Evaporation Rate</i> <0.1 (Water = 1)	<i>Solubility in Water</i> Insoluble	<i>Appearance/Odor</i> 6 small, multicolor reagent areas fastened to a plastic strip.

### Section IV - Fire and Explosive Hazard Data

<i>Flash Point (Method Used)</i> N/A	<i>Flammable Limits</i> N/A	<i>LEL</i>	<i>UEL</i>
<i>Extinguishing Media</i> Use media appropriate for surrounding materials.			
<i>Special Fire Fighting Procedures</i> N/A			
<i>Explosion Potential</i> None identified			

### Section V - Health and Hazard Data

<i>Threshold Limit Value (TLV)</i> N/A
---



**Teco Diagnostics**  
Clinical Reagent Specialists

Form	QL801-141
Revision	A
Prepared by	Brian Anderson
Approved by	Owen Bry
Issue date	1/14/2011

[MSDS] **UrineCheck 6**  
1268 N. Lakeview Ave. Anaheim, CA 92807 Phone: (714) 463-1111 Fax: (714) 463-1169 www.tecodiag.com

*Effects of Overexposure*

None

*Emergency and First Aid Procedures*

**Ingestion:** Have patient drink 2-8 oz. glasses of water or milk to dilute and contact physician for further care.

**Skin contact:** Avoid contact.

**Inhalation:** Not considered health risk.

**Section VI - Reactivity Data**

Stability: Unstable  Stable  Polymerization: May Occur  Will Not Occur

This product is stable as sold if used as directed.

*Incompatibility (Materials to avoid)*

**Strong oxidizing substances**

*Decomposition Products*

N/A

*Conditions to be avoided*

Avoid high temperature, high humidity conditions. Do not prolong exposure to air and light.

**Section VII - Spill and Disposal Procedures**

*Steps to be taken in case of Spills or Leaks*

Sweep up or pick up and place in a disposable container.

*Waste Disposal Method*

Follow Federal, State and local regulations.

**Section VIII - Personal Protection Information**

*Respiratory Protection (Type)*

Not Required

*Ventilation*

*Mechanical*

Good General Ventilation.

*Local Exhaust*

N/A

*Eye Protection*

Goggles with side shields recommended during testing.

*Protective Gloves*

Gloves Required

*Other Protective Equipment*

Laboratory Coat: Eyewash: Emergency Shower.

*Measures to be taken during repair and maintenance equipment that has been in contact with the material*

Wash equipment with water. Dispose as in VII above



**Teco Diagnostics**  
Clinical Reagent Specialists

Form	QL801-141
Revision	A
Prepared by	Brian Anderson
Approved by	Owen Bry
Issue date	1/14/2011

[MSDS]

**UrineCheck 6**

1268 N. Lakeview Ave. Anaheim, CA 92807 Phone: (714) 463-1111 Fax: (714) 463-1169 www.tecodiag.com

**Section IX - Special Precautions**

*Precautions to be taken in Handling and Storage*

Store at temperature and conditions as listed on Product Label. See Product Label or Package Insert for instructions on handling urine strips during test.

*Other Precautions*

Avoid contact or ingestion.

**Section X - Other Information**

This Product is labeled in accordance with CFR21 (Food and Drugs), Section 809.10.

The information contained herein has been compiled from data presented in various technical sources believed to be accurate. Teco Diagnostics makes no warranties and assumes no liability in connection with the use of this information. It is the user's responsibility to determine the suitability of this information and to assure the adoption of necessary safety precautions.

N/A - Not Applicable or Not Available

**TECO DIAGNOSTICS**