



Document	QL801-005
Revision	A
Prepared by	Brian Anderson
Approved by	Owen Bry
Issue date	1/14/2011

[MSDS]

Alkaline Phosphatase (Color)

1268 N. Lakeview Ave. Anaheim, CA 92807 Phone: (714)463-1111 Fax: (714)463-1169 www.tecodiag.com

Section I - Name and Product

Address (Street, State, and Zip Code)

1268 N. Lakeview Ave., Anaheim, California 92807 USA

<i>Product Name</i>	<i>Part No.</i>	<i>Contact</i>
Alkaline Phosphatase (color) Reagent Set	A506 - 140	Quality Assurance
<i>Chemical Family or Product Type</i>	<i>Date of Preparation</i>	<i>Emergency Telephone No.</i>
Clinical Chemistry Reagent	Revised 11-16-01	Weekdays 8:00-4:30 PST Tel: 800-222-9880 or (714) 693-7788 Fax#: (714) 693-3838

Section II - Composition

<i>CHEMICAL NAME</i>	<i>%</i>	<i>CAS#</i>
Buffered Salts	Mixture	
Other components either non-hazardous or at concentrations below that requiring hazardous listing.		

Section III - Physical Data

<i>Boiling Point</i> N/A	<i>Melting Point</i> N/A	<i>Specific Gravity</i> N/A
<i>Vapor Pressure</i> N/A	<i>Percent Volatile by Vol.</i> N/A	<i>Vapor Density</i> N/A
<i>Evaporation Rate</i> N/A	<i>Solubility in Water</i> Soluble	<i>Appearance/Odor</i> Substrate - Amber Liquid Color Developer - Colorless liquid

Section IV - Fire and Explosive Hazard Data

<i>Flash Point (Method Used)</i> N/A	<i>Flammable Limits</i> N/A	<i>LEL</i>	<i>UEL</i>
<i>Extinguishing Media</i> Use media appropriate for surrounding materials.			
<i>Special Fire Fighting Procedures</i> N/A			
<i>Explosion Potential</i> N/A			

Section V - Health and Hazard Data

<i>Threshold Limit Value (TLV)</i> N/A
<i>Effects of Overexposure</i> Caution: Strong Base Many burn skin or eyes
<i>Emergency and First Aid Procedures</i> Flush contact area with water for 15 minutes. Consult physician immediately if irritation persists.



Document	QL801-005
Revision	A
Prepared by	Brian Anderson
Approved by	Owen Bry
Issue date	1/14/2011

[MSDS]

Alkaline Phosphatase (Color)

1268 N. Lakeview Ave. Anaheim, CA 92807 Phone: (714)463-1111 Fax: (714)463-1169 www.tecodiag.com

Section VI - Reactivity Data

Stability: Unstable Stable <input checked="" type="checkbox"/>	Polymerization: May Occur Will Not Occur <input checked="" type="checkbox"/>
<i>Incompatibility (Materials to avoid)</i> N/A	
<i>Decomposition Products</i> N/A	
<i>Conditions to be avoided</i> N/A	

Section VII - Spill and Disposal Procedures

<i>Steps to be taken in case of Leaks or Spills</i> Flush area with water, clean with detergent.
<i>Waste Disposal Method</i> Follow Federal, State and local regulations.

Section VIII - Personal Protection Information

<i>Respiratory Protection (Type)</i> Not Required	
<i>Ventilation</i>	<i>Mechanical</i> Good General Ventilation.
	<i>Local Exhaust</i> N/A
<i>Eye Protection</i> Goggles with side shields recommended.	<i>Protective Gloves</i> Gloves Required
<i>Other Protective Equipment</i> Laboratory Coat: Eyewash: Emergency Shower.	
<i>Measures to be taken for equipment that has been in contact with the material</i> Wash equipment with water. Dispose as in VII above	

Section IX - Special Precautions

<i>Precautions to be taken in Handling and Storage</i> Store at temperature listed on container.
<i>Other Precautions</i> Do not pipette by mouth. Avoid contact or ingestion.

Section X - Other Information

This Product is labeled in accordance with CFR21 (Food and Drugs), Section 809.10.

The information contained herein has been compiled from data presented in various technical sources believed to be accurate. Teco Diagnostics makes no warranties and assumes no liability in connection with the use of this information. It is the user's responsibility to determine the suitability of this information and to assure the adoption of necessary safety precautions.

N/A - Not Applicable or Not Available

TECO DIAGNOSTICS